



CCB Product brochure. Version 4 / March 2017

ccb

CUSTOM MADE CURTAINS, SOFT FURNISHINGS & ACCESSORIES



CONTENTS

General Information	04
Drapery	
Custom made drapery specifications	05
Pinch Pleat	06
S-Fold (ripple-fold)	08
Curtains with eyelets	10
Linings	11
Snap tapes	11
Tiebacks	12
Accessories	
Flick sticks	12
Drapery hardware	12
Drapery curtain track systems	13
Manual curtain track systems	13
Motorised curtain track systems	13
Pelmets	14
Roman blinds	
Pull cord operation	16
Chain drive operation	17
Soft furnishings	18
Bed products	
Bed spreads	18
Bed valances	20
Doona covers	21
Bed throws	22
Bolsters	23
Cushion covers	24
Cushion inserts	24
Pillow covers	25
Pillow inserts	25
Contract quilting	27
Bedheads	28
Sample Order Form	30
Warranty	32
Terms & Conditions of Sale	33

GENERAL INFORMATION

Styles

Products are all custom made to clients' own specifications and sizes. Bed products will be made to industry standard sizes if clients' own dimensions are not available.

Product styles as shown are a guide only, most variations on these are available.

Clients' fabrics

Please clearly identify the correct face of the fabrics to be used. CCB will not be held responsible if fabrics are not clearly identified.

CCB will check all clients' fabrics for faults, flaws or damage, however will not be held responsible.

Meterage for various products are supplied as a guide only and cannot account for variations in fabric width or pattern match. CCB will not be responsible for incorrectly supplied fabric from clients or wholesalers.

CCB stock fabrics

CCB stock a full range of linings, sheers, linen look and calico fabrics.

Cleaning and care labels

CCB clients must nominate fabric care number for fabrics supplied. CCB will add care instruction labels to finished products.

Fabrics supplied by CCB will include care instruction labels.

Quilted products should not be exposed to excessive heat or pressing.

Packaging

Please ensure that any fabrics being delivered to us are properly wrapped and addressed on the outside of the parcel.

Please indicate your name and address and an account name or number if available.

Completed goods will be delivered back either fully wrapped in plastic, or packed into cardboard boxes if necessary. All regional and interstate deliveries are packed into boxes.

Delivery of goods

CCB provides a delivery service in the Sydney region for \$21 per box (approx. 2 pairs of curtains).

Regional or interstate deliveries are usually arranged on an overnight basis. Freight quotes are provided based on the size of the shipment.

Minimum quantity orders

There is no minimum quantity requirements.

Lead times

CCB require 3 weeks from the time we receive fabric to your delivery.

Earlier delivery can be arranged with a **surcharge of 50%**.

Terms

Approved account customers are all 30 days, all other transactions are C.O.D.

CUSTOM MADE CURTAIN SPECIFICATIONS

CCB manufacture drapery for a range of window configurations, using fabrics either supplied or from CCB stock. We will meet all client requirements within strict deadlines.

Our custom made drapery products include:

- Pleated curtains
- S-Fold (ripple-fold) curtains
- Bedscreen/cubicle curtains
- Other curtain styles available upon request
- Tiebacks
- Upholstered pelmets.

Our services include:

- Fabrication
- Supply of fabrics and linings
- Supply of S-Fold (ripple-fold) snap tapes
- Distributor of Forest drapery hardware.

Standard manufacturing specifications include:

- All curtains made to requested sizes and specifications
- Fabrics pattern matched according to client requests
- Multiple width fabrics are over locked stitched with half widths placed on return side of fabric
- Side hems are 35 mm double turned and blind stitched except for blackout curtains which are straight stitched
- Curtain linings are hemmed. Linings fall short of the curtain by 20 mm unless otherwise requested.
- Joins are overlapped and safety stitched. French seams are available on request.


Fullness:

- Standard 200% = 2 : 1, 250% = 2 1/2 : 1
- Extra large - 80% = 2 : 1, 100% = 2 1/2 : 1.

Linings we can supply:

- 3 pass - Block out
- 1 pass - Dim out
- Uncoated polyester/cotton
- Bump deluxe.

PINCH PLEAT CURTAINS




Pinch pleat curtains are an elegant tailored design for formal windows in lounge, dining and bedrooms. The curtains have a sewn-in triple pleat which is attached to the curtain track via pin hooks. The pleats create a fullness in the curtain that contributes to better blackout and privacy when required. They also act as an insulation barrier, keeping warm air in during winter and heat out during summer.


Fabrication details

- Pin hooks on curtains attach to slide carrier on curtain rail.
- Headings consist of 100 mm interfacing folded into fabric prior to stitching.
- Headings can be made to sit under the curtain track or cover the track.
- Three finger pinch pleats are spaced approximately 75 mm - 125 mm apart, depending on fullness.
- Fullness - as required.
- Selvage edges are removed or clipped before curtains are made.
- Multiple widths joined using overlocked serged seams and safety stitch.
- Hems: 100 mm single or double folded at bottom.
- Side hems: 35 mm double turned folds.
- Corners: square lead of weight 7 grams or continuous lead weight.
- Blind stitched using complementary coloured thread (blackout is single stitched).

PINCH PLEAT CURTAIN SPECIFICATIONS



S-FOLD (RIPPLE-FOLD) CURTAINS




The S-Fold or ripple-fold curtain style is a less formal design that suits both contemporary and casual areas. The curtain fabric is attached to a snap tape and then attached via carriers to the curtain track. This style provides an elegant set of regular smooth curves on both sides. The curtains hang below the curtain track and do not provide complete blackout. The hardware and a small light gap is visible at the top of the curtain, if a pelmet is not included.


Fabrication details

- Snap tape with eyelets spacing of 100 mm is sewn onto curtains.
- Curtains are sewn as hemmed flat sections.
- Fullness - standard or extra large.
- Selvage edges are removed or clipped before curtains are made.
- Multiple widths joined using overlocked serged seams and safety stitch.
- Headings consist of 30 mm interfacing folded into fabric prior to stitching.
- Hems: 100 mm single or double folded at bottom.
- Side hems: 35 mm double turned folds.
- Corners: square lead weight 7 grams or continuous lead weight.
- Blind stitched using complementary coloured thread.
- Standard hem allowance is double-turn at top and double turn at bottom, approximately 300 mm.
- S-Fold with Easy Flex tape-pockets are 10 mm wide - 2 x fullness.
- S-Fold with studs.

S-FOLD CURTAINS SPECIFICATIONS



DRAPERY - CURTAINS WITH EYELETS



Curtain with eyelets

CCB stock a large range of eyelets (grommets) to either supply only or fabricate curtains with eyelets.

Curtain sizes

- Available at any size required.


Eyelet sizes

- Internal diameter size in mm - 10, 40, 50 and 65 mm.
- Other sizes available on request.


Eyelet colours

- Matte nickel, black, brass, brush steel, satin smoke, antique copper, antique brass and oil rubbed bronze.


DRAPERY - LININGS & SNAP TAPES




LINED CURTAIN



SELF LINING
- BLACKOUT



SELF LINING
- BLACKOUT




Linings

CCB quality curtain linings are available as lined, self linings (blackout fabrics) or separate linings (interlining) requiring a dual curtain track. Please speak to a CCB representative about your specific requirements.

Lining types

- Lined curtains (cotton/polyester). Lining fabric sewn into face fabric hems.
- Self lining - blackout (1, 2 or 3 pass - dry clean only).
- Interlined curtains - separate bump or Guardian /Saba lining sewn onto face fabric at the top.

Snap tapes



S-Fold curtain fabrications require snap tapes that are sewn directly onto the top section of the curtain.


Two kinds are available:

- Standard - clear, white and black. Studs are 107.5 mm apart.
- XL - clear, white and black. Studs are 150 mm apart.

Tie backs

We offer a range of tieback options for your curtains.


- Shaped.
- Supplied with “O” ring.
- Supplied with fabric loop.
- Un-padded or padded.
- Standard piping, unless specified.
- Fabric allowance .4 metre per tieback
- Tie back hook range available.




SHAPED TIE BACK WITH “O” RING

Flick sticks


Flick sticks are attached to the curtain track via a stop carrier to enable flexible hand drawn operation of the drapery. White fibreglass flick sticks are available in either 920, 1220 or 1520 mm lengths.



920 mm




1220 mm




1520 mm


Forest manual track systems



KS - KLICK TRACK SYSTEM



CS - CONTRACT TRACK SYSTEM



DS - DESIGN TRACK SYSTEM

Curtain tracks are available for single or double drapery in standard or S-Fold curtain applications. Manual systems are available in white only.


A selection of manual curtain track profiles allow for standard or heavy duty fabrics with top fix or side fix installation brackets. Curtain track hardware includes an easy “Klick” track system with options for light, medium and heavy weight fabrics. A “Corded Contract” system is also available for heavy duty hand drawn applications.

Track bending and curving can be applied to track systems with a variety of draw configurations* per system for eg. centre, left and right draw. All contract track orders include components for installation.

* Bending, curving shapes and draw configurations differ per system.

Go to link: www.forest-drapery.com.au/forest/

Forest motorised track systems




Motorised curtain tracks are available for single or double drapery in standard or S-fold curtain applications including a manual override safety device. The Forest motorised systems are available in white only.

Track bending and curving can be applied to track systems with a variety of draw configurations* per system for eg. centre, left and right draw. All contract track orders include components for installation.

Go to link: www.forest-drapery.com.au/forest/fs/

PELMETS



We offer a range of decorative pelmets to complement your window furnishings.

- Cornice pelmets have padded face standard (padding is 100% polyester fibre fill).
- Dust cap and returns composed of 180 mm wood.
- Fabrication features self cording on top and bottom edge of cornice pelmet.
- Inside and top surface of cornice pelmet is covered with white lining.
- Styles B & C and J not recommended for lengths over 1900 mm.
- Solid fabrics and fabrics without a directional pattern are railroaded to eliminate seams.
- Banding may be added to styles A, D and H.
- Trim options and contrast cording are also available.
- Ceiling mount - no dust cap.
- Wall mount - with dust cap.
- Specified fabrics should meet AS1530.2 fire rating requirements.
- Standard mounting system are aluminium angle brackets.

Standard pelmet dimensions

- all dimensions are in millimetres

	Minimum	Maximum
Width	N/A	7000
Height	N/A	390
Depth	N/A	190


PELMET STYLE OPTIONS




A




G



B




H




C



I



D



J



E



K




F




L

For custom designs and or sizes please contact CCB.

ROMAN BLINDS - PULL CORD OPERATION



Soft fold style - front mounted




Flat fold style - back mounted with valance

Pull cord operation using either a wall-cleat or cord lock with tension pulley mechanism. These are the simplest hand drawn operations for soft or flat fold roman blinds.


Wall cleat

The traditional method of holding the blind in the desired position. The lift cord of the blind is wrapped around a wall cleat (double hook) to keep the blind in the position. The wall cleat can be metal, plastic or timber and is attached to the window trim or wall. It also serves as a safety device to keep the cord pull out of the way of children and pets.




Cord lock operation

The cord lock operates using a simple mechanism consisting of one smooth plastic roller bar and one toothed metal roller bar within a plastic encasement with thin metal dividers. The lifting cords are threaded to run between the two rollers and out through the metal dividers into a pulley to keep the cords together. Swinging the cords towards the outside of the blind locks the cords. Swinging the cords towards the inside of the shade unlocks the cords. The cord lock can be used on either side of the blind as long as the metal roller bar is facing out.




ROMAN BLINDS - CHAIN DRIVE SYSTEM



Chain drive operation is a built-in mechanism which secures the blind at any height without any possibility of loosening. The plastic or metal bead chain is universal for either right or left-hand control. The mechanism can be concealed by a covered pelmet or valance. This application is suitable for small residential and hospitality projects.

- Lifting mechanism features a extruded aluminium rail, or industry standard clutch system with take-up reels. Please specify mechanism type and left or right position.
- Extruded aluminium rail features a continuous-lift chain that allows shade to be levelled on site without untying cords.
- Chain with stops - used when blind can be raised in one turn or less.
- Stainless-steel metal beaded chain standard; nickel-plated chain or plastic bead chain.
- Clutch/brake system enables blind to stop and hold at any point.
- Hold down brackets secure chain to wall in compliance with standards for child safety.
- Lifting mechanisms may be mounted in front of the panel covered by a valance for easy access to the chain or mounted to the back of the panel for a cleaner look.

BEDSPREADS



We will make products to any size or style that you require.

Polyester filling in quilted bedspreads is 150 grams per square metre as a standard. Lighter or heavier grades are available on request.


Standard backing cloth for bedspreads is cotton/polyester high grade lining fabric in an ivory colour. Other fabrics and colours are available on request.

Standard bedding dimensions - all dimensions are in millimetres


	Width	Length	Height
Single	910	1910	550
Long Single	910	2030	550
King Single	1070	1910	550
Double	1370	1910	550
Queen	1530	2030	550
King	1830	2030	550

PLEASE NOTE: These sizes are a guide only. Please check bed dimensions prior to submitting orders. Some mattresses are available with a "pillow top" or "cushion top" option. Please allow for an extra 50 - 70 mm for the height of the bedspread.


BEDSPREAD STYLE OPTIONS




STYLE A Reverse sham and jumbo (rolled) hems.




STYLE B Reverse sham throw over with hems: plain stitch / blind stitch / twin needle.




STYLE C Long top throw over with hems:
Plain stitch / blind stitch / twin needle.



STYLE D Quilted top and sham with unlined gathered skirt.




STYLE E Captop with reverse sham: maximum height of
350 mm - do not fall to the floor.




STYLE F Captop with long top: maximum height of
350 mm - do not fall to the floor.


BEDSPREAD HEM OPTIONS



TAILORED




PIPED EDGE



SEWN DOWN CORNERS

BED VALANCES



Tailored valance

Inverted pleats at foot corners, centre of sides and centre of foot where fabric joins.

Box pleated

Standard is 100 mm pleats. Increase in pleat size will increase fullness.

Channel

No pleats or split corners. 100 mm wide channels running vertically.


Fabrication details

- Available either lined or unlined.
- All styles include standard 50 mm platform strip with 150 mm option.
- Platform fabric - 70% polyester, 30% cotton lining (specify required top).


Options

Decorative banding, decorative trims and velcro mounting if removal for cleaning is required.


VALANCE STYLE OPTIONS




Tailored



Box pleated



Channel



Fabrication details

- Standard has square corners at top and rounded/square corners at bottom
- Reinforced top stitching around perimeter with 125 mm stitches
- Standard inserts available with 283.5 g fill
- Self lined or reversible
- Specify required drop. Recommend 75 mm longer than mattress depth
- Closure - zipper, buttons or envelope.

Standard doona dimensions


- all dimensions are in millimetres

	Width	Length
Single	1400	2100
Double	1800	2100
Queen	2100	2100
King	2400	2100


Please note:

These sizes are provided as a guide only. We recommend that bed dimensions are checked prior to submitting orders.


DOONA STYLE OPTIONS




Pillow case standard




Corded



Piped




Flanged



Banded - 130 mm bottom and sides

BED THROWS



Standard dimensions

Width

Half width of chosen fabric (Unless specified)

Lengths

Full	Queen	King
2030 mm	2180 mm	2590 mm

Fabrication


- Available self lined and lined.
- Face and back of bed throw may be matching or coordinating fabric
- May be interlined with flannel/bump or may contain light weight polyester 100 g fill.

Options

- Knife edge
- Roll edge
- Flange corners
- Piped
- Trim or banding
- Quilting available with fill.

Bed throw styles

- Unquilted
- Self lined, unlined or contrast lining
- 25 mm rolled hem
- Pillow tuck optional.



Standard diameter dimensions

Diameter

All sizes have a 25 cm diameter

Lengths

Single	Double	Queen	King
460 mm	610 mm	760 mm	910 mm


Inserts

- Polyester insert covered with poly cotton lining.
- Feather/down inserts covered with down proof cover.


Closure

- Fully sewn or with zipper.


BOLSTER STYLE OPTIONS



Corded




Piped



Knife Edged

CUSHION COVERS / INSERTS



Standard cushion dimensions

All dimensions are in millimetres

	Width	Length
CC35	350	350
CC45	450	450
CC60	600	600


Please note:

These sizes are provided as a guide only.
Cushion dimensions should be checked
prior to submitting orders.

Fabrication details

- Double stitching around edges (10 stitches per 25 mm)
- Standard stitching is clear polyester monofilament thread.
- Closure - centre closure with zipper or velcro.


CUSHION STYLE OPTIONS



Standard square



Square piped




Flanged

Cushion inserts

Our quality cushion inserts are fabricated in 4 kinds:

- Polyester insert covered with poly cotton lining.
- Feather inserts covered with down proof cover.
- Feather/polyester inserts covered with poly cotton lining.
- Feather/down inserts covered with down proof cover.



Standard pillow dimensions

All dimensions are in millimetres


	Width	Length
Regular	480	720
King	550	750

Please note:
These sizes are provided as a guide only.
Pillow dimensions should be checked
prior to submitting orders.

Fabrication details

- Double stitching around edges (10 stitches per 25 mm)
- Standard stitching is clear polyester monofilament thread.
- Closure - centre closure with zipper or velcro.


PILLOW STYLE OPTIONS



Standard square



Square piped




Flanged

Pillow inserts

Our quality pillow inserts are fabricated in 4 kinds:

- Polyester insert covered with poly cotton lining.
- Feather inserts covered with down proof cover.
- Feather/polyester inserts covered with poly cotton lining.
- Feather/down inserts covered with down proof cover.



We offer a range of quilting patterns for the following products:

- Upholstered pelmets
- Bedspreads
- Doona covers
- Valances
- Cushions/pillows
- Bolsters
- Upholstered bedheads.

Fabrics can be quilted by a multi-needle quilting machine or an outline quilting machine.


Multi-needle quilting

For fabrics up to a maximum width of 3000 mm. A range of quilting patterns are available (see next page). Fabrics can be pre-joined prior to quilting to achieve a pattern match with an overlaying quilt design. Please contact CCB prior to submitting order.


Outline quilting

Quilting on a “moving head” outline machine for fabrics up to a maximum width of 3400 mm. Filling is 200 grams.


MULTI-NEEDLE QUILTING PATTERN OPTIONS




100 mm CHANNEL




50 mm CHANNEL




100 mm SQUARE




SMALL WAVY DIAMOND



LARGE WAVY DIAMOND




OVERLAP DIAMOND 120 mm




DIAMOND 150 mm

OUTLINE QUILTING EXAMPLES



BEDHEADS



We offer a range of bedhead styles to complement your bedroom design.

- Bedheads have padded face standard (padding is 100% polyester fibre fill)
- Dust cap and returns composed of 180 mm MDF, wall mounted.
- Construction featuring self cording on top
- Inside and top surface of bedhead covered with white lining
- Solid fabrics and fabrics without a directional pattern are railroaded to eliminate seams
- Trim options, vertical bands and contrast cording available
- Custom quilting available.
- Specified fabrics should meet AS1530.2 fire-rating requirements
- Standard aluminium wall mounting system supplied with bedhead.

Budget bedhead dimensions

- all dimensions are in millimetres

Size	Width	Height
Single	1100	600
King single	1150	600
Double	1580	600
Queen	1730	600
King	2030	600

Standard bedhead dimensions

- all dimensions are in millimetres


Size	Width	Height
Single	1100	1150
King single	1150	1150
Double	1580	1150
Queen	1730	1150
King	2030	1150

BEDHEADS


BUDGET SIZE RANGE



Budget plain




Budget piped back




Budget padded roll


STANDARD SIZE RANGE



Standard plain




Standard piped back



Standard padded roll

BEDHEAD WALL MOUNT



SAMPLE DRAPERY ORDER FORM



10-20 Vincent Street Marrickville NSW 2204
Tel: +61 2 8594 0700 Fax: +61 2 8594 0799

DRAPERY ORDER FORM

PROJECT NAME						PROJECT NO.					
SITE ADDRESS						ORDER RAISED BY					
SITE CONTACT	NAME					TEL					
						DATE REQUIRED					
ORDER NO			FABRIC ETA			FAN FOLDING/PACKING STYLE					
ROOM/LOCATION											
TRACK TYPE											
TRACK SIZE (MM)											
STACK SIDE											
BRACKET											
FIXING											
FABRIC QTY (M)											
FABRIC NAME											
LINING											
INTERLINING											
NO. CURTAINS											
NO. WIDTHS or M PER CURTAIN	M		M		M	M		M		M	
HEADED WIDTH (CM) EXCLUDING RETURNS											
HEADING TYPE											
HEADING SIZE (CM)											
HOOK/HEADING TAPE											
QTY OF RUNNERS											
RETURN SIZE (CM)	SIDE	SIZE	SIDE	SIZE	SIDE	SIZE	SIDE	SIZE	SIDE	SIZE	
PATTERN MATCH											
FINISHED DROP (CM)											
BASE HEM											
CARE LABEL											
OTHER ITEMS											
FLICKSTICK											
RIPPLEFOLD TAPE	M		M		M	M		M		M	
QTY VELCRO	M		M		M	M		M		M	
VELCRO SIDE											
TIE BACKS											
SPECIAL INSTRUCTIONS											
WORKROOM USE ONLY											
FABRIC RECEIVED					SPECIAL NOTES						
SALES ORDER NO											
ETA											

WARRANTY STATEMENT

Warranty Statement

This warranty statement has been prepared according to ACL (Australian Consumer Law) Amendment Regulation 2010 (1/Schedule 3) required from the 1st January 2012.

CCB guarantees that all products are free from material and assembly defects provided the products are used in the manner for which they were designed. This warranty will not include any indemnity relating to any other consequential or economic damages or loss of any nature whatsoever that may have arisen from defective item.

Conditions of Warranty

- 1 Product has been paid in full. Property in good supplied will not pass to purchaser until they or other goods supplied by CCB have been paid in full. Warranty is also void under this circumstance.
- 2 Warranty period starts from date stipulated on the invoice, not from the date of any subsequent service.
- 3 Warranty does not cover any damage or material failure resulting from, but not limited to:
 - a normal weathering or wear or tear
 - b adverse exposure
 - c corrosion or mildew
 - d accidental and / or intentional damage
 - e wind blown objects
 - f fire / flood / wind / rain / hail storm
 - g physical factors
 - h structural defects
 - i negligent installation, maintenance, misuse or abuse.
- 4 Warranty is void or not valid if damage is caused by (but not limited to):
 - a installation of incompatible or non recommended components / accessory items
 - b failure to follow size recommendation, measurements, cleaning and maintenance instructions
 - c installation by a third party (ie unauthorised installer or Do It Yourself installation) or any occurrences beyond the control of CCB
 - d harmful cleaning compounds to clean the products
 - e product being altered or adapted in any way.
- 5 The warranty claim must be accompanied with the paid invoice as well as details regarding the nature of the problem.
- 6 Warranty is limited to the repair or replacement of the defective material or component at CCB's option. The following shall not be considered defects in material or workmanship:
 - a variation in gloss factor of paint
 - b variation in powder coating colours
 - c veins or white traces on acrylic fabric.
- 7 Should warranty service be requested and subsequently found NOT to be covered under the terms of this warranty, CCB reserves the right to charge a service / labour fee plus parts and travel.

Scope of Warranty

	1 YR	
Curtain Track (excludes corrosion)	X	
All genuine Components	X	
Service Warranty of total removal of product for repair		No Warranty
Installation & reinstallation of product		No Warranty
Charges for hire of access equipment (even when product is under warranty)		No Warranty
Consequential damage or loss		No Warranty

This guarantee shall be interpreted and applied subject to the operation of all applicable statute (the provisions of which cannot be excluded by the parties), including, if applicable, the Trade Practises Act 1974 and similar State legislation. With the exception of the matters outlined in this document, all other implied terms, guarantees and conditions are hereby excluded.

To obtain warranty service, please contact the CCB agent or reseller from whom you purchased the product and provide proof of purchase.

CCB® ABN 660 97 049 477 20 Vincent Street Marrickville NSW 2204 Australia

These are the entire Terms and Conditions of Sale for all window covering products supplied by CCB to all customers on or after 1 September 2009. Except as otherwise expressly agreed upon in writing between a duly authorised officer of CCB and the customer, the Terms and Conditions shall apply notwithstanding any provisions to the contrary which may appear on any order form or other document issued by any customer.

General

- 1 No quotation given by CCB shall constitute an offer. Until we receive the reply, quotations are without engagement, unless otherwise expressly agreed. The offers are based on the specifications provided by Customer, which must precisely describe the conditions that they affect the products we are to deliver.
- 2 All orders placed with CCB shall only be accepted subject to these Terms and Conditions of Sale. CCB may at any time and from time to time alter these Terms and Conditions of Sale and such altered Terms and Conditions of Sale shall apply after notification by CCB to the customer.
- 3 If a customer cancels or alters any order or part order for special products or standard products with special materials, paints or finishes at any time after CCB has received the order then CCB reserves the right to charge to the customer the costs of any special products, materials, paints or finishes already acquired for the order together with the cost of any labour and tooling expended to the date of such cancellation or alterations.
- 4 CCB reserves the right to correct errors in its sales brochures, price lists, offer documentation without our being held liable for these errors.
- 5 The Customer is aware that the products manufactured are individually made-to-measure and therefore cannot be exchanged or returned. If the ordered goods are not accepted by the Customer, the Customer shall be charged for any costs already incurred by CCB with the order that we can document, any incurred extra expenses and any loss in profit.
- 6 Placement of the order is a declaration that the Customer will buy the ordered product/item. Changes to the order are no longer possible after order confirmation.

Prices

- 7 Prices do not include any GST or other applicable tax or duty payable and all GST and other such taxes or duties to the extent that they are applicable shall be paid by the customer as an additional charge.
- 8 The purchase price is the price specified in the order confirmation. If the price is not specified, the purchase price is the price specified in our current price list that is valid at the time of the order placement or the price send as an offer.
- 9 If a change to the scope and type of work is provided after order confirmation, the expenses supported by horiso will be charged separately from the quoted price.
- 10 We reserve the rights to provide price changes after timely notification of the customer and prior to deliver the goods due to general price trends that are beyond our control (e.g. fluctuation in currency exchange rates, currency regulations, and changes in custom duties) or changes in wages, material cost and changes in the delivery data.
- 11 The right of retention is excluded if the customer knew the defect or any reason for complaint without reserving his rights in writing or if it remained unknown to customer due to negligence. This does not apply if horiso released a guarantee for the product sold.

Small Order Charges

- 12 CCB tries to work very hard in saving you money however, some times a charge may occur when your order is under our minimum order value. A surcharge of \$12.00 will apply to any order UNDER our minimum order value. Our minimum order value is \$150.00 at Wholesale prices not including GST. This applies to ALL orders. Note: A delivery charge may also apply. Please contact CCB to confirm.

Terms of Payment

- 13 The terms of payment are:
 - a all orders, a fifty per centum (50%) of the selling price must be paid by the customer as a deposit at the time of acceptance of the quotation and placement of the order. The remaining fifty per centum (50%) of the selling price is payable by the customer immediately prior to dispatch of the ordered products;
 - b if CCB advises the customer that the ordered products are ready for dispatch and the customer refuses to accept the products or fails to make arrangements for installation, or if CCB is unable to contact the customer after making reasonable endeavours to do so, the remainder of the selling price shall immediately become payable. CCB shall be entitled to treat an amount equal to the remainder of the selling price as a judgment debt and such debt shall be capable of enforcement as judgment debt without CCB taking any further action to obtain a judgment debt against the customer;
 - c the only exception that can be made to the Terms of Payment is a separate payment agreement made with the customer between CCB and the customer;
 - d notwithstanding the other provisions of this clause 5, CCB reserves the right to require the customer to pay the whole of the selling price in advance at the time of placement of the order.
- 14 If the customer fails to make payment in accordance with clause 5, CCB shall be entitled to:
 - a Require the payment of cash upon delivery of any further products;
 - b Charge default interest at the rate of one and a half per centum (1.5%) per month on a cumulative basis on all overdue amounts (including late payment charges and amounts other than the price) calculated on a day to day basis on any monies due but unpaid, such interest to be computed from the due date for payment AND the parties agree that such default interest is not a penalty but is a true measure of damages incurred by CCB, payments received from the customer will be credited first against any default interest and all such charges shall be payable on demand;

TERMS AND CONDITIONS OF SALE

- c Claim from the customer all costs relating to any action by CCB to recover monies or goods due from the customer including any mercantile agents costs and legal costs and disbursements on a solicitor - client basis; and
- d Cease any further deliveries to the customer and to terminate any agreement in relation to products that have not been delivered.

Delivery

- 15 Any date or time quoted for delivery is an estimate only and CCB shall endeavour to effect delivery at the times or times requested by the customer but failure to do so shall not confer any right of cancellation or refusal of delivery on the customer or render CCB liable for any loss or damages directly or indirectly sustained by the customer as result thereof.
- 16 The customer shall not be relieved of any obligation to accept or pay for products by reason of any delay in delivery caused by Force Majeure as described in clause 29.

Freight

- 17 Freight:
 - a Deliveries made to Metropolitan areas including Newcastle and Gosford will be free;
 - b Deliveries made to Country areas will be delivered to customer on orders over \$300.00 or free on board your own transport if under \$300.00;
 - c Deliveries made to Interstate areas will be delivered free on board your own transport (Sydney Metro);
 - d All deliveries that have an unusual shape (Bends) - POA.

Inspection

- 18 The customer shall examine the products immediately after delivery:
 - a CCB shall not be liable for any misdelivery, shortage, defect or damage unless CCB receives details in writing within seven (7) days of the date of delivery of the products;
 - b The customer acknowledges that variations of shade can occur in the manufacture of different materials;
 - c While CCB will take every care to obtain the best effect, CCB cannot assume responsibility for variations in colour or grain structure; and
 - d CCB accepts no responsibility for changes in length, shrinkage or dropping of material and CCB shall not be liable in any way for loss or damage suffered as a consequence thereof.

Returns / Credit

- 19 NO goods can be returned unless an agreement has been made between CCB and the customer. If any items are returned due to NO fault of CCB then a surcharge plus freight will be in voiced back to the customer. Claims can only be made within 14 days calendar days after receiving the goods. NO credits or claims will be given to any made to measure items.

Property and Risk

- 20 Notwithstanding delivery of the products or their installation, property in any given products shall remain with CCB until the customer has paid and discharged any and all other indebtedness to CCB on any account whatsoever (including applicable GST and other taxes, levies and duties). Any payment made by or on behalf of a customer which is later avoided by the application of any statutory provision shall be deemed not to discharge the customer's indebtedness and, in such an event, the parties are to be restored to the rights which each respectively would have had if the payment had not been made.
- 21 The risk in the products shall pass to the customer upon delivery.
- 22 The customer acknowledges that it is in possession of the products solely as a bailee for CCB until payment as defined in clause 14 has been made in full to CCB and until such payment:
 - i the customer shall be fully responsible for any loss or damage to the goods whatsoever and howsoever caused following delivery; and
 - ii the customer shall store the products separately from its own goods and those of other party and in a manner which clearly identifies the products, whether as separate chattels or as components, as the property of CCB.
- 23 The customer thereby irrevocably grants to CCB, its agents and servants, an unrestricted right and license, without notice, to enter premises occupied by the customer to identify and remove any of the products of CCB in accordance with these Terms and Conditions of Sale without in any way being liable to the customer or any person claiming through the customer. CCB shall have the right to sell or dispose of any such products removed or otherwise in its sole discretion and shall not be liable for any loss occasioned thereby.

Warranty and defects notice

- 24 a Warranty period
 - The warranty period shall be five years, unless particularly agreed otherwise.
- b When a defect, an apparent fault or hidden defects is notified by Customer, it has to be immediately reported within 14 days calendar days after receiving the goods.
- c CCB will agree to repair, replace, refund or compensate wholly or partially of the defect products/or defective parts which fail to comply with **Clause 3** set out in the Conditions of Warranty.
 - i notification of the defects by the Customer within the warranty period specified in **Scope of Warranty**
 - ii defective products have been taken off by authorised horiso Installers
 - iii the products have been not altered, modified, or subject of misuse, incorrect installation, maintenance, neglect accident or damage or used with incompatible parts;
 - iv replacement warranty shall have the benefit of the applicable warranty for the remainder of the applicable warranty;

- d All defects reported will be analysed based on Customer required description and specification; CCB responsibility does not extend to parts, material or equipment that are manufactured by the Customer or contracted by him and are made available to CCB. The Customer is responsible for checking the quality and load-bearing capacity of the installation substructure and to select appropriate fixing materials; CCB does not take the responsibility for defects that are due to incorrect selection.
 - e For checking and inspecting the defects an adequate time must be given by the Customer. CCB has the rights to rectify the defects by removing the defect at our own discretion.
 - f This warranty will not include any liability for damage caused by improper or faulty installation, improper use and storage, unintended use, negligence, incorrect commissioning, alteration or repairs, normal weathering or wear and tear, natural fading and natural chalking, faulty electrical connection, operation with unsuitable control components.
 - g Marketing advertisement does not represent a contractual specification of the quality of the goods. CCB guarantees that all horiso products are free from material and assembly defects.
 - h Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and for compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.
- 25 Subject to payment in full being made as defined in clause 10, CCB shall use its best endeavours to pass on to the customer the benefit of any warranties or guarantees it receives in respect of products or parts thereof supplied to the customer which are not of CCB's manufacture.

Limitation of Liability

- 26 These Terms and Conditions of Sale do not exclude, restrict or modify the application of any provisions of any Commonwealth, State or Territorial Law which by law cannot be excluded, restricted or modified.
- 27 a Sale to Non-Consumers
- i in the case of products supplied by CCB to a customer (as defined in the Trade Practises Act, 1974 as amended from time to time (the Act), if the products do not correspond with the description of them on the invoice or are defective, then provided that the products are preserved intact and made available for inspection by a representative of CCB and are returned to CCB in the same order and condition as that in which they were delivered, CCB shall at its option replace those products or reimburse the customer for the amount of the purchase price paid for them, but any claim in this respect must be made in writing within fourteen (14) days of the date of delivery of those products.
 - ii Should the customer seek indemnity from CCB in respect of any claim by a consumer on the customer as a result of a breach of condition or warranty implied by the Act in a contract for the supply of products by the customer to that consumer, sub-paragraph (i) will not apply and in respect of products that are of a kind ordinarily acquired for personal, domestic or household use or consumption (consumer goods), CCB's liability is limited to indemnifying the customer in accordance with the Act, limited to a liability to pay to the customer in accordance with the Act, limited to a liability to pay to the customer an amount equal to the cost of replacing the products or the cost of obtaining equivalent products or the cost of having the products repaired, whichever is the lesser amount.
- b Sale to Consumers
- In the case of products supplied by CCB to a customer who is a consumer, to the extent that the products are not consumer products or goods, the liability of CCB to the customer for breach of any warranty or condition (other than a warranty or condition implied by Section 69 of the Act) or for breach of any duty of care shall in all cases be limited, at the option of CCB, to any one or more of the replacement of the products or the supply of equivalent products, the repair of the products, the payment of the cost of replacing the products or acquiring equivalent products or the payment of the cost of having the product repaired.
- c Except for those conditions and warranties implied by the Act or other sale of products or consumer protection legislation which may not be excluded, the customers agrees that:
- i It has not relied on any inducement, representation or statement made by or on behalf of CCB in purchasing the products and there are no implied conditions or warranties herein and no collateral contracts in connection herewith (except such as may be in writing and signed by a duly authorised person representative of CCB) and
 - ii This clause sets out the entire liability of CCB in respect of its liability under the Act or otherwise in respect of liabilities to the consumer for a breach of a condition or warranty with respect to the sale of products or goods. In no circumstances will CCB incur any liability in respect of or arising out of or in connection with any special, consequential, direct or indirect loss, damage, harm or injury suffered or the customer.
- 28 Claims for damages of the goods' shall be submitted only if damages are at CCB fault.
Claims for damages under non fundamental breaches of contract are excluded.

Force Majeure

- 29 CCB shall not be liable for any failure or delay to supply or deliver the products where such failure or delay is wholly or partly due to any cause or circumstance whatsoever outside the reasonable control of CCB including, but not limited to, war, strikes, lockouts, industrial disputes or unrest, government restrictions or intervention, transport delays, fire, act of God, breakdown of plant, shortage of supplies or labour, storm or tempest, theft, vandalism, riots, civil commotions or accidents of any kind.

Termination

- 30 If the customer fails to comply with any of these Terms and Conditions or being a natural person or persons commits any act of bankruptcy, or being a corporation passes a resolution for winding up or liquidation (other than for the purpose of re-organisation or reconstruction) or enters into any composition or arrangement with creditors or if a Receiver and / or Manager and / or Administrator is appointed for any property or assets of the customer or becomes liable to be wound up by reason of insolvency or if any petition is presented for its winding up, or if a liquidator or provisional liquidator is appointed, CCB may in addition to exercising all or any of its rights against the customer, suspended any further deliveries and immediately recover possession of any products not paid for in accordance with these Terms and Conditions.

Supply

- 31 CCB reserves the right to decline any order for products when the size of the order or the requested delivery date inhibits or prejudices CCB's ability to fulfil its contractual commitments or other commitments to its franchisees, licensees, other customers or any other person or corporation. CCB also reserves the right to rescind any orders within five (5) working days of the date of acceptance of the quotation / placement of the order, and if CCB does do so, it shall have no liability to the customer other than refunding any deposit paid.

Governing Law

- 32 The customer agrees that these Terms and Conditions of Sale shall be construed according to the Laws of the State or Territory as CCB may in its sole discretion determine. Proceedings may be instituted in such State or Territory as CCB may in its sole discretion determine. Failing such determination the customer consents to the non-exclusive jurisdiction of the Courts of the State of New South Wales applying the laws of the State of New South Wales.

Service of Documents

- 33 The customer agrees that service of any notices or Court documents may be effected by forwarding same by pre-paid post or facsimile to the last known address or facsimile number of the customer.

Interpretation

- 34 If any matter, thing, act or omission arising or occurring under or pursuant to these Terms and Conditions constitutes a taxable supply then the party making the supply shall have the right to recover any GST payable in respect of that supply from the recipient of the supply in addition to any other amounts that it has a right to receive in respect of the supply provided that the party making the supply gives to the recipient of the supply a tax invoice.
- 35 An italicised term or expression has the same meaning in these terms and conditions as it has in the A New Tax System (Goods and Services Tax) Act 1999.
- 36 A reference to the GST is a reference to the tax imposed from time to time by any one or more of the following Acts, A New Tax System (Goods and Services Tax Imposition Customs) Act 1999, A New Tax System (Goods and Services Tax Imposition Excise) Act 1999 and A New Tax System (Goods and Services Tax Imposition General) Act 1999.
- 37 Where the context permits, a reference to a party includes the representative member of any GST group to which that party belongs.

EFFECTIVE DATE: 1 September 2012